

**AMENDMENTS**

**In the Claims**

Claims 2-46, 48-78 and 80-87 are pending and are listed below.

1. (Cancelled).

2. (Previously Presented) The computing system of claim 4, wherein the navigation model comprises a navigation stack.

3. (Original) The computing system of claim 2, wherein the navigation stack comprises a back-and-truncate stack.

4. (Previously Presented) A computing system comprising:  
a single application program configured to provide:  
a single navigable window;  
multiple different functionalities to which the single navigable window can be navigated by a user;  
a navigation model that is configured to manage the user's navigation activities within the single application program; and  
navigation instrumentalities comprising browser-like navigation buttons associated with the single navigable window, the navigation instrumentalities being configured for use by the user to navigate the single window inside individual functionalities and to the different functionalities.

1           5.     (Original) The computing system of claim 4, wherein one of  
2 the navigation instrumentalities comprises links associated with each of  
3 the multiple different functionalities to which the single navigable window  
4 can be navigated.

5  
6           6.     (Original) The computing system of claim 4, wherein one of  
7 the navigation instrumentalities comprises browser-like navigation buttons  
8 that can be used, in connection with the navigation model, to navigate the  
9 single navigable window inside individual functionalities and between the  
10 different functionalities.

11  
12          7.     (Original) The computing system of claim 4, wherein the  
13 navigation instrumentalities comprise:

14               links associated with each of the multiple different functionalities to  
15 which the single navigable window can be navigated; and

16               browser-like navigation buttons that can be used, in connection with  
17 the navigation model, to navigate the single navigable window between  
18 the different functionalities.

1           8.     (Previously Presented) The computing system of claim 4,  
2 wherein the single application program is configured to provide at least  
3 one context-sensitive command area that is associated with the single  
4 navigable window, the single application program automatically changing  
5 command sets that are presented to the user within the command area as  
6 the user navigates to different functionalities.

7  
8           9.     (Previously Presented) The computing system of claim 4,  
9 wherein the multiple different functionalities comprise document-centric  
10 functionalities.

11  
12          10.    (Original) The computing system of claim 9, wherein the  
13 document-centric functionalities comprise one or more of the following: a  
14 web-browser functionality, a planner functionality, an email functionality,  
15 a contacts functionality and a word processing functionality.

16  
17          11.    (Original) The computing system of claim 9, wherein the  
18 document-centric functionalities comprise each of the following: a web-  
19 browser functionality, an email functionality, and a word processing  
20 functionality.

21  
22          12.    (Previously Presented) The computing system of claim 4,  
23 wherein each of the multiple different functionalities enables the user to  
24 accomplish a different task.  
25

1           13.   (Original) The computing system of claim 12, wherein the  
2 different tasks each relate to a different document type.

3  
4           14.   (Original) A computing system comprising:

5           a single application program configured to provide:

6                 a single navigable window;

7                 multiple different document-centric functionalities to which  
8 the single navigable window can be navigated by a user; and

9                 a navigation stack that is configured to enable the user to  
10 navigate the single navigable window back and forth between  
11 different functionalities.

12  
13           15.   (Original) The computing system of claim 14, wherein the  
14 navigation stack comprises a back-and-truncate navigation stack.

15  
16           16.   (Original) The computing system of claim 14, wherein the  
17 single application program is configured to provide navigation  
18 instrumentalities associated with the single navigable window, the  
19 navigation instrumentalities being configured for use by the user to  
20 navigate the single window inside individual functionalities and to the  
21 different functionalities.

1           17. (Original) The computing system of claim 16, wherein one  
2 of the navigation instrumentalities comprises links associated with each of  
3 the multiple different functionalities to which the single navigable window  
4 can be navigated.

5  
6           18. (Original) The computing system of claim 16, wherein one  
7 of the navigation instrumentalities comprises browser-like navigation  
8 buttons that can be used, in connection with the navigation stack, to  
9 navigate the single navigable window inside individual functionalities and  
10 between the different functionalities.

11  
12           19. (Original) The computing system of claim 16, wherein the  
13 navigation instrumentalities comprise:

14           links associated with each of the multiple different functionalities to  
15 which the single navigable window can be navigated; and

16           browser-like navigation buttons that can be used, in connection with  
17 the navigation stack, to navigate the single navigable window inside  
18 individual functionalities and between the different functionalities.

19  
20           20. (Original) The computing system of claim 14, wherein the  
21 single application program is configured to incorporate extensible  
22 functionalities.

1           21.    (Original) The computing system of claim 20, wherein the  
2 single application program is configured to receive one or more software  
3 modules embodying individual functionalities via a network.

4  
5           22.    (Original) The computing system of claim 20, wherein the  
6 single application program is configured to receive one or more software  
7 modules embodying individual functionalities via the Internet.

8  
9           23.    (Original) The computing system of claim 20, wherein the  
10 single application program is configured to receive one or more software  
11 modules embodying individual functionalities in connection with a  
12 subscriber model in which various subscribers pay a fee for access to the  
13 various functionalities.

14  
15          24.    (Original) A computing system comprising:

16          a single application program configured to:

17               display a single navigable window for a user to use in  
18 navigating between multiple different functionalities that can be  
19 provided by the single application program; and

20               incorporate different functionalities in an extensible manner  
21 so that the user can use the single navigable window to navigate to  
22 the different incorporated functionalities.

1           25.   (Original) The computing system of claim 24, wherein the  
2 incorporated functionalities can be delivered to the single application  
3 program via a network.  
4

5           26.   (Original) The computing system of claim 25, wherein the  
6 incorporated functionalities can be delivered to the single application  
7 program via the Internet.  
8

9           27.   (Original) The computing system of claim 25, wherein the  
10 single application program is configured to provide a navigation model  
11 that is configured to manage the user's navigation activities within the  
12 single application program.  
13

14           28.   (Original) The computing system of claim 27, wherein the  
15 navigation model comprises a navigation stack.  
16

17           29.   (Original) The computing system of claim 25, wherein the  
18 single application program is configured to provide navigation  
19 instrumentalities associated with the single navigable window, the  
20 navigation instrumentalities being configured for use by the user to  
21 navigate the single window inside individual functionalities and to the  
22 different functionalities.  
23  
24  
25

1           30.   (Original) The computing system of claim 29, wherein one  
2 of the navigation instrumentalities comprises links associated with each of  
3 the multiple different functionalities to which the single navigable window  
4 can be navigated.

5  
6           31.   (Original) The computing system of claim 29, wherein one  
7 of the navigation instrumentalities comprises browser-like navigation  
8 buttons that can be used to navigate the single navigable window inside  
9 individual functionalities and between different functionalities.

10  
11           32.   (Original) The computing system of claim 24, wherein the  
12 different functionalities comprise document-centric functionalities.

13  
14           33.   (Original) The computing system of claim 32, wherein  
15 individual different functionalities that can be incorporated into the single  
16 application program can be delivered to the application program in  
17 connection with a fee-based subscription model.

18  
19           34.   (Previously Presented) A computing system comprising:  
20 a network-accessible single application program;  
21 a single navigable window provided by the application program;  
22 multiple different functionalities provided by the application  
23 program, the program being configured so that a user can navigate the  
24 single navigable window and interact with the different functionalities to  
25 accomplish different tasks; and



1 a navigation stack that is configured to enable the user to navigate  
2 the single navigable window back and forth between different  
3 functionalities.

4  
5 35. (Original) The computing system of claim 34, wherein the  
6 single application program is configured so that the functionalities are  
7 extensible.

8  
9 36. (Original) The computing system of claim 34, wherein the  
10 single application program is configured to provide a navigation model  
11 that is configured to manage the user's navigation activities within the  
12 single application program.

13  
14 37. (Original) The computing system of claim 34, wherein at  
15 least some of the different functionalities comprise software modules that  
16 are deliverable via a network.

17  
18 38. (Original) The computing system of claim 37, wherein the  
19 network comprises the Internet.

20  
21 39. (Original) The computing system of claim 37, wherein the  
22 software modules are deliverable in the context of a fee-based subscription  
23 model.

1           40.   (Original) A computing system comprising:  
2           a software platform comprising software that is configured to  
3 provide a single application program that provides:  
4           a single navigable window;  
5           capabilities to navigate the single navigable window to  
6 different functionalities that can enable a user to accomplish  
7 different tasks;  
8           capabilities to manage navigation activities of the user;  
9           capabilities to provide context-sensitive command sets and  
10 change the command sets as a user's context changes in accordance  
11 with the user's navigation activities; and  
12           capabilities to receive and incorporate into the single  
13 application program individual software components that comprise  
14 individual different functionalities.

15  
16           41.   (Previously Presented) Software code embodied on a  
17 computer-readable medium which, when executed by a computer, provides  
18 a user interface (UI) comprising:  
19           a single window that is capable of being navigated to and between  
20 multiple different functionalities that enable a user to accomplish multiple  
21 tasks in connection with a single application that provides the multiple  
22 different functionalities; and  
23           navigation instrumentalities comprising browser-like navigation  
24 buttons that are configured to enable the user to navigate the single  
25 window to and between the multiple different functionalities.

1  
2 42. (Original) The software code of claim 41, wherein the UI  
3 further comprises at least one command area that is configured to present  
4 context-sensitive commands that automatically change as the user's  
5 context changes when they navigate to and between the multiple different  
6 functionalities.

7  
8 43. (Original) The software code of claim 41, wherein the  
9 navigation instrumentalities comprise multiple links each of which being  
10 associated with a different functionality, the links being selectable by the  
11 user for navigating the single window to a functionality that is associated  
12 with the selected link.

13  
14 44. (Original) The software code of claim 41, wherein the  
15 navigation instrumentalities comprise browser-like navigation buttons.

16  
17 45. (Original) The software code of claim 41, wherein the  
18 navigation instrumentalities comprise:

19 multiple links each of which being associated with a different  
20 functionality, the links being selectable by the user for navigating the  
21 single window to a functionality that is associated with the selected link;  
22 and

23 browser-like navigation buttons.  
24  
25

1       46. (Previously Presented) A computing method comprising:  
2       displaying a user interface that comprises a single navigable  
3 window that can be navigated between multiple different functionalities  
4 that are provided by a single application program;  
5       receiving user input that indicates selection of a particular  
6 functionality;  
7       responsive to receiving said user input, navigating the single  
8 navigable window to the particular selected functionality and displaying in  
9 said window indicia of said functionality that can enable a user to  
10 accomplish a task associated with the particular selected functionality; and  
11       managing a user's navigation activities using a navigation model  
12 that maintains entries that correspond to the user's navigation activities.

13  
14       47. (Cancelled).

15  
16       48. (Previously Presented) The method of claim 46, wherein said  
17 managing comprises:

18       ascertaining whether a user's activities impacts a navigation model  
19 entry; and

20       responsive to ascertaining that a user's activities impacts one or  
21 more navigation model entries, manipulating said one or more entries.

22  
23       49. (Original) The method of claim 48, wherein said  
24 manipulating comprises removing an entry.  
25

1        50. (Original) The method of claim 48, wherein said  
2 manipulating comprises removing an entry that is at least one entry away  
3 from an entry corresponding to the user's present navigation activity.  
4

5        51. (Original) The method of claim 48, wherein said  
6 manipulating comprises adding an entry.  
7

8        52. (Original) The method of claim 48, wherein said  
9 manipulating comprises reorganizing the navigation model entries  
10 responsive to a user action that is not a navigation action.  
11

12        53. (Original) The method of claim 48, wherein said  
13 manipulating comprises maintaining the state of a document in response to  
14 user navigation activities that take the user on a navigation path that is  
15 outside of a direct path to the document.  
16

17        54. (Original) The method of claim 48, wherein said  
18 manipulating comprises modifying at least one URL that is associated with  
19 at least one navigation model entry.  
20

21        55. (Original) The method of claim 48, wherein said  
22 manipulating comprises modifying at least one title that is associated with  
23 at least one navigation model entry.  
24  
25

1        56. (Original) The method of claim 48, wherein said  
2 manipulating comprises modifying an entry so that it points to a location  
3 that is different from a location to which it previously pointed.  
4

5        57. (Previously Presented) The method of claim 46, wherein the  
6 navigation model comprises a back-and-truncate navigation stack.  
7

8        58. (Original) The method of claim 46, wherein said displaying  
9 of the user interface comprises displaying proximate the single navigable  
10 window, navigation instrumentalities that are configured to enable to user  
11 to input selection of a particular functionality.  
12

13        59. (Original) The method of claim 58, wherein one of the  
14 navigation instrumentalities comprises links associated with each of the  
15 multiple different functionalities.  
16

17        60. (Original) The method of claim 58, wherein one of the  
18 navigation instrumentalities comprises browser-like navigation buttons  
19 that can be used by a user to navigate the single navigable window  
20 between the different functionalities.  
21

22        61. (Original) The method of claim 46 further comprising,  
23 responsive to navigating the single navigable window to said particular  
24 selected functionality, automatically presenting a functionality-specific  
25

1 command set within the user interface, said command set containing  
2 commands that are associated with the particular selected functionality.  
3

4 62. (Original) The method claim 61 further comprising  
5 automatically presenting different functionality-specific command sets in  
6 response to navigating the single navigable window to respective different  
7 functionalities.  
8

9 63. (Original) One or more computer-readable media having  
10 computer-readable instructions thereon which, when executed by a  
11 computer, implement the method of claim 46.  
12

13 64. (Original) One or more computer-readable media having  
14 computer-readable instructions thereon which, when executed by a  
15 computer, cause the computer to:

16 display a user interface that comprises:

17 a single navigable window that can be navigated between  
18 multiple different functionalities that are provided by a single  
19 application program; and

20 navigation instrumentalities that are configured to enable  
21 selection of a particular functionality, the navigation  
22 instrumentalities comprising links associated with each of the  
23 multiple different functionalities and browser-like navigation  
24 buttons that can be used by the user to navigate the single navigable  
25 window between the different functionalities;

1 receive user input via said navigation instrumentalities that  
2 indicates selection of a particular functionality; and

3 responsive to receiving said user input, navigate the single  
4 navigable window to the particular selected functionality and display in  
5 said window indicia of said functionality that can enable a user to  
6 accomplish a task associated with the particular selected functionality.

7  
8 65. (Original) The computer-readable media of claim 64,  
9 wherein the multiple different functionalities comprise document-centric  
10 functionalities.

11  
12 66. (Original) The computer-readable media of claim 64,  
13 wherein the instructions cause the computer to automatically present  
14 different functionality-specific command sets in response to the single  
15 navigable window being navigated to the different functionalities.

16  
17 67. (Original) A computing method comprising:  
18 providing a single application program that is configured to display  
19 a single navigable window for a user to use in navigating between multiple  
20 different functionalities that can be provided by the single application  
21 program; and

22 incorporating different functionalities in an extensible manner into  
23 the single application program so that the user can use the single navigable  
24 window to navigate to the different incorporated functionalities.



1        68. (Original) The method of claim 67, wherein said  
2 incorporating comprises delivering software modules embodying one or  
3 more functionalities via a network.  
4

5        69. (Original) The method of claim 67, wherein said  
6 incorporating comprises delivering software modules embodying one or  
7 more functionalities via the Internet.  
8

9        70. (Original) The method of claim 67, wherein the single  
10 application program is configured to provide a navigation model that is  
11 configured to manage the user's navigation activities within the single  
12 application program.  
13

14        71. (Original) The method of claim 67, wherein the single  
15 application program is configured to display navigation instrumentalities  
16 associated with the single navigable window and configured to enable the  
17 user to navigate the single window to the different functionalities.  
18

19        72. (Original) The method of claim 71, wherein the navigation  
20 instrumentalities include one or more of the following:

21        links associated with each of the multiple different functionalities to  
22 which the single navigable window can be navigated; and

23        browser-like navigation buttons that can be used to navigate the  
24 single navigable window between different functionalities.  
25

1           73.   (Previously Presented) A computing method comprising:  
2           displaying a user interface that comprises a single navigable  
3 window that can be navigated between multiple different document-centric  
4 functionalities that are provided by a single application program;  
5           receiving user input that indicates selection of a particular  
6 document-centric functionality;  
7           responsive to receiving said user input, navigating the single  
8 navigable window to the particular selected document-centric functionality  
9 and displaying in said window indicia of said functionality that can enable  
10 a user to accomplish a task associated with the particular selected  
11 functionality; and  
12           managing a user's navigation activities using a navigation model  
13 that maintains entries that correspond to the user's navigation activities.

14  
15           74.   (Original) The method of claim 73, wherein the document-  
16 centric functionalities comprise one or more of the following: a web-  
17 browser functionality, a planner functionality, an email functionality, a  
18 contacts functionality and a word processing functionality.

19  
20           75.   (Original) The method of claim 73, wherein the document-  
21 centric functionalities comprise each of the following: a web-browser  
22 functionality, an email functionality, and a word processing functionality.

23  
24           76.   (Original) The method of claim 73 further comprising  
25 receiving user input to create a new document from a plurality of available

1 document types, and said navigating comprises navigating said single  
2 window to an empty document of a corresponding type.

3  
4 77. (Original) The method of claim 76 further comprising  
5 making an entry in a navigation model corresponding to the new  
6 document, the navigation model being used to manage user navigation  
7 activities.

8  
9 78. (Original) The method of claim 73, wherein the document-  
10 centric functionalities are associated with different document types that  
11 can be authored by a user, and further comprising receiving user input  
12 indicating that the user has completed work on a document of a particular  
13 document type, and responsive thereto, automatically publishing the  
14 document based upon the document type.

15  
16 79. (Cancelled).

17  
18 80. (Previously Presented) The method of claim 73, wherein said  
19 managing comprises:

20 ascertaining whether a user's activities impacts a navigation model  
21 entry; and

22 responsive to ascertaining that a user's activities impacts one or  
23 more navigation model entries, manipulating said one or more entries.

1           81. (Original) The method of claim 80, wherein said  
2 manipulating comprises removing an entry.

3  
4           82. (Original) The method of claim 80, wherein said  
5 manipulating comprises removing an entry that is at least one entry away  
6 from an entry corresponding to the user's present navigation activity.

7  
8           83. (Original) The method of claim 80, wherein said  
9 manipulating comprises adding an entry.

10  
11           84. (Original) The method of claim 80, wherein said  
12 manipulating comprises reorganizing the navigation model entries  
13 responsive to a user action that is not a navigation action.

14  
15           85. (Original) The method of claim 80, wherein said  
16 manipulating comprises maintaining the state of a document in response to  
17 user navigation activities that take a user on a navigation path that is  
18 outside of a direct path to the document.

19  
20           86. (Original) The method of claim 80, wherein said  
21 manipulating comprises modifying at least one URL that is associated with  
22 at least one navigation model entry.

1        87. (Original) The method of claim 80, wherein said  
2 manipulating comprises modifying an entry so that it points to a location  
3 that is different from a location to which it previously pointed.  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25